



Sun-Max

Ultra Coated PVC Fabrics



PLAIN FABRIC COLORES

○ **TM 201 - WHITE**

○ **TM 202 - CREAM**

○ **TM 203 - LIGHT GREY**

● **TM 204 - CHARCOAL GREY**

● **TM 205 - YELLOW**

● **TM 206 - FOREST GREEN**

● **TM 207 - PARROT GREEN**

● **TM 208 - PEPSI BLUE**

● **TM 209 - SKY BLUE**

● **TM 210 - RED**

● **TM 211 - ORANGE**

● **TM 212 - BROWN**

● **TM 213 - BLACK**

FINISH PRODUCTS TEST SPECIFICATION

<u>DESCRIPTION</u>		<u>BOTH SIDE PVC COATED</u>		
01	Base Fabric	Made out High Tenacity Polyester filament yarn		
02	Coating material	Non Foam PVC		
03	Code	SLL 600		
04	Finish	As Per Requirement		
05	Color	As Per Requirement		
SI. No.	PARAMETER	UNIT	SPECIFICATION	
01	Weight/m ²	GSM	580±20	IS: 7016 (Part I)-1982
02	Thickness	Mm	.47 Minimum	IS: 7016 (Part I)-1982
03	Breaking Strength	Warp Weft	kg / 5 cm	225 Minimum 197 Minimum IS: 7016 (Part I)-1981
04	Tear Strength (sample size 200mmX150mm with 50mm tongue)	Warp Weft	kg	24 minimum 21 minimum BS : 3424 Method 7A
05	Adhesion of PVC to base fabric	Warp	Kg / 2.5cm	3 Minimum IS: 7016 (Part 5)1987
06	Water Poorness @220psi (High Pressure)		No leak	IS: 7016 (Part 7)1987

TM - 201 WHITE

Roll Length - 50 RMT

Width - 152 CM

TM -202 CREAM

Roll Length - 50 RMT

Width - 152 CM

TM - 203 LIGHT GREY

Roll Length - 50 RMT

Width - 152 CM

TM - 204 CHARCOAL GREY

Roll Length - 50 RMT

Width - 152 CM

TM - 205 YELLOW

Roll Length - 50 RMT

Width - 152 CM

TM - 206 FOREST GREEN

Roll Length - 50 RMT

Width - 152 CM

TM - 207 PARROT GREEN

Roll Length - 50 RMT

Width - 152 CM

TM - 208 PEPSI BLUE

Roll Length - 50 RMT

Width - 152 CM

TM - 209 SKY BLUE

Roll Length - 50 RMT

Width - 152 CM

TM - 210 RED

Roll Length - 50 RMT

Width - 152 CM

TM - 211 ORANGE

Roll Length - 50 RMT

Width - 152 CM

TM - 212 BROWN

Roll Length - 50 RMT

Width - 152 CM

TM - 213 BLACK

Roll Length - 50 RMT

Width - 152 CM

STRIPES FABRIC COLORES

 **TM 301 - RED+WHITE**

 **TM 307 - YELLOW+GREEN**

 **TM 302 - GREY/SILVER+WHITE**  **TM 308 - RED+YELLOW**

 **TM 303 - BLUE+WHITE**

 **TM 304 - GREEN+WHITE**

 **TM 305 - BROWN+CREAM**

 **TM 306 - ORANGE+WHITE**

FINISH PRODUCTS TEST SPECIFICATION

<u>DESCRIPTION</u>		<u>BOTH SIDE PVC COATED</u>			
01	Base Fabric	Made out of High Tenacity Polyester Filament Yam			
02	Coating Material	Non Foam PVC			
03	Finish	GLOSSY			
04	Colour	As per Order			
05	Width	155/310 cm			
SI. No.	PARAMETER	UNIT	TEST METHOD	SPECIFICATION	
01	Product Weight	gsm	IS 7016 Part I - 1982	580	
02	Breaking Strength	Warp	Kg/5cm	IS 7016 Part II - 1981	240
		Weft	Kg/5cm	IS 7016 Part II - 1981	240
03	Tear Strength	Warp	Kg	IS 7016 Part III - 1981	30
		Weft	Kg	IS 7016 Part III - 1981	25
04	Adhesion Strength	Kg/5cm	IS 7016 Part V - 1987	7.0	
05	Water Proofness @ 220 PSI	-	IS 7016 Part VII - 1986	No Leak	

TM - 301 RED+WHITE
Roll Lenght - 50 RMT
Widht - 155 CM

TM - 302 GREY/SILVER+WHITE
Roll Lenght - 50 RMT
Widht - 155 CM

TM - 303 BLUE+WHITE

Roll Lenght - 50 RMT

Widht - 155 CM



TM - 304 GREEN+WHITE

Roll Lenght - 50 RMT

Widht - 155 CM

TM - 305 BROWN+CREAM

Roll Lenght - 50 RMT

Widht - 155 CM

TM - 306 ORANGE+WHITE
Roll Lenght - 50 RMT
Widht - 155 CM

TM - 307 YELLOW+GREEN

Roll Lenght - 50 RMT

Widht - 155 CM

TM - 308 RED+YELLOW

Roll Lenght - 50 RMT

Widht - 155 CM





Sun-Max

Ultra Coated PVC Fabrics